
No. 18 RECTANGULAR WINDOW

Now available with 14° Beveled Spigot for slanted deck houses — water will not accumulate at lens frame — in sizes $4" \times 11"$, $5" \times 12"$, $7" \times 14"$ and $8" \times 18"$.

Note arrows showing set screws at hinges. Our set screw construction at hinge points will give correct tension on rubber gasket at all times insuring watertight fit.



This popular window has OUR patented lens frame with concealed fastenings, no screws showing. The appearance of this window is very attractive due to the smooth flowing lines. The aluminum windows are very light in weight and are cast of a corrosion resisting alloy and furnished with stainless steel hinge pins and set screws. We recommend that aluminum windows be anodized.

CAST BRONZE OR ALUMINUM - PLAIN, POLISHED OR CHROME

Size	Size	Size	Glass	No.
Opening	Clear Glass	Flange	Thickness	Bolts
5" x 12"	4"×11"	7-1/2" x 14-1/2"	3/16"	2
6-1/8" x 13-1/8"	5" x 12"	8-1/2" x 15-1/2"	3/16"	2
8-1/8" x 15-1/8"	7" × 14"	10-1/2" x 17-1/2"	1/4"	2
9-3/8" x 19-3/8"	8" x 18"	12-1/2" × 22-1/2"	1/4"	4
11-3/8" x 22-3/8"	10" x 21"	14-1/2" × 25-1/2"	3/8"	4

Finishing rings available thru-bolted for fiberglass and ferro-cement. Staggered bolting for wood installation. Please specify type required. $4\frac{3}{8} \times 10\frac{8}{8}$


Spigot length of 2" is standard. We are equipped to furnish spigot lengths to your exact specifications so as to eliminate additional work on your part. Please specify thickness of bulkhead.

Insect screens are removable and have heavy bronze frames with no. 18 mesh bronze wire. Screens for aluminum port lights are chrome plated. Screen is installed and removed from the inside and will not interfere with the opening or closing of the port. Not supplied with port light unless specified.

Note: Kindly advise if bronze or aluminum is desired — All castings from highest grade certified ingots. No scrap is ever used.

INSIST ON METAL WINDOWS FOR A LIFETIME OF SERVICE

No. 25 RECTANGULAR WINDOW CAST BRONZE OR ALUMINUM — PLAIN, POLISHED OR CHROME



Among the many outstanding features of this window are OUR patented lens frame with concealed fastenings, concealed screws, and set screw construction at hinge points giving correct tension on the rubber gasket at all times insuring a water tight fit. Furnished with 14° Beveled Spigot for slanted deck houses — water will not accumulate at lens frame nor enter cabin when window is opened.

Size Opening 53/4'' x 113/4'' Size Clear Glass 41/2'' x 101/2''

Size Flange Glass Thickness

8'' x 14


3/16"

Spigot length to suit $\frac{3}{8}$ " and $\frac{1}{2}$ " thick fiberglass


Finishing ring thru-bolted is available as is removable bronze frame insect screens with 18 mesh bronze wire — insect screen for aluminum window is chrome plated — we recommend that aluminum windows be anodized.

INSIST ON METAL PORT LIGHTS FOR A LIFETIME OF SERVICE


ROSTAND POPULAR FIXED WINDOWS CAST BRONZE OR CAST ALUMINUM — PLAIN, POLISHED OR CHROME




No. 11 OVAL SHAPE
1.D. 5" x 10" O.D. 6" x 111/2"



No. 135 RECTANGULAR SHAPE
1.D. 7" x 16"
O.D. 9" x 18"



No. 132 OVAL SHAPE I.D. 31/2" x 91/2" O.D. 5" x 11"



No. 137 RECTANGULAR SHAPE 1.D. 3¾" x 25¾" O.D. 6" x 28"

Our fixed windows consist of TWO (2) frames, one interior, and one exterior — less glass and less fastening screws.

COSTAND / FRAME MARINE HARDWARE

Frank Annunziata MILFORD, CT 06460 SNUG HARBOR AD.

No. 17C ROSTAND CUSTOM MARINE RECTANGULAR WINDOWS AND FIXED WINDOWS

Cast Bronze or Aluminum — Plain, Polished or Chrome

We are very pleased to offer the following Rostand Custom Marine Windows in various sizes to fit most any condition. The quality and engineering of these windows are without equal and are to be found on the cruisers and yachts of the most discriminating owners. Each window has been very carefully designed and approved by our many outstanding Naval architects and yacht designers for those looking for the extra features with style and security foremost. We highly recommend Rostand No. 17C (for custom) in the following sizes. Aluminum Window anodized at slight extra cost.

HINGED WINDOWS

	Size of Clear Glass	Size of Opening	Size Overall	Thickness of Glass
4'	' x 18'' (long oval)	53/8'' x 191/4''	75/8'' x 21 ¹ /2''	1/2''
71/	/ ₄ '' x 15 ¹ / ₄ ''	75/8'' x 151/2''	11'' x 19¾''	1/2"
71/	/ ₂ '' x 22''	83/4'' x 231/4''	ΙΙ'' x 25½''	1/4''
8''	x 21''	81/2" x 211/2"	113/4'' x 243/4''	1/2''
81/	/ ₄ '' x 16 ¹ / ₄ ''	83/4" x 163/4"	12'' x 20''	1/2''
91/	/ ₂ '' x 22 ³ / ₈ ''	103/8'' x 233/4''	13½'' x 27''	l/2''
10''	x 21"	105/8'' x 215/8''	133/4" x 243/4"	1/2''
11"	x 23''	111/2" x 235/8"	14 ¹ / ₂ '' x 26 ³ / ₄ ''	1/2''
15''	x 24"	151/2'' x 241/2''	181/2'' x 271/2''	1/2"
18"	x 24''	181/2'' x 241/2''	211/2" x 271/2"	1/2''

No. 16C ROSTAND CUSTOM RECTANGULAR FIXED WINDOWS

Cast Bronze or Aluminum — Plain, Polished or Chrome

Clear Glass Size	Overall of Flange	Thickness of Glass
4'' x 7'' (Oval)	7½" x 10½"	1/4"
6'' x 9''	91/4'' x 121/4''	3/8''
6'' x 15''	91/2'' x 181/4''	3/8''
5'' x 16''	8'' x 19''	l/ ₂ ''

Spigot length to your specifications.

Insect screens are available for all windows; as are finishing rings.

We cast our aluminum windows of a corrosion resisting alloy—hinge pins are of stainless steel.

Prices on application